

Twin Star


Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.

Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6


Pattern Fabrics:




Your Fabrics:

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.




10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".



Twin Star





Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.

Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6


Pattern Fabrics:

-  Main Background
-  Fabric #1
-  Fabric #2
-  Fabric #3


Your Fabrics:

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.




10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".



Twin Star





Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.

Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6


Pattern Fabrics:

-  Main Background
-  Fabric #1
-  Fabric #2
-  Fabric #3


Your Fabrics:

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.




10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".



Twin Star


Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.

Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6


Pattern Fabrics:




Your Fabrics:

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.




10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".



Twin Star





Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.

Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6



Pattern Fabrics:

-  Main Background
-  Fabric #1
-  Fabric #2
-  Fabric #3


Your Fabrics:

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.




10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".







Twin Star

Fabric Selections:

You will be making multiples of this block (4 for twin, 4 for twin B, 6 for queen, and 6 for long queen). The numbers shown are the total number of pieces needed. Be sure you have some contrast between each of the star fabrics.



Cutting Instructions:

	Twin	Twin B	Queen	Queen Long
PIECES to cut:				
Main Background				
• 3 1/2" square	20	20	30	30
• 4 3/4" square	4	4	6	6
Fabric #1:				
• 4 3/4" square	4	4	6	6
Fabric #2:				
• 4 3/4" square	4	4	6	6
Fabric #3:				
• 4 3/4" square	4	4	6	6


Pattern Fabrics:	Your Fabrics:
 Main Background	_____
 Fabric #1	_____
 Fabric #2	_____
 Fabric #3	_____

Sewing Instructions:


1. Draw one diagonal line on the back of the 4 3/4" background squares and the 4 3/4" fabric #3 squares.
2. Then draw a line 1/4" on each side of the diagonal line.




- Pair each background square with a 4 3/4" fabric #1 square, and pair each fabric #3 square with a fabric #2 square, right sides together.




- Stitch on the second lines. (Shown as dotted lines).
- Cut between the stitching lines. Carefully press the half-square triangle unit (HST) open. Press the seam allowances to the background fabric and to fabric #3.



- On the back of whichever set is lighter, draw a diagonal (cutting) line perpendicular to the seam line and stitching lines 1/4" away on each side as in the above steps 1 and 2.




- Pair each of the background & #1 HST with a fabric #2 & #3 HST right sides together and fabric #2 facing the background fabric. The diagonal seams should nest together.




- Sew on the outside drawn lines (perpendicular to the seam already sewn).

9. Cut on solid line and press open. You will get quarter-square triangle units (QST) that are mirror images of each other.



10. Square-up to $3\frac{1}{2}$ " unit. When squaring, be certain the diagonal seams go into the point on all four corners and that the intersection is at the $1\frac{3}{4}$ " point.

11. Layout blocks and sew units together into rows. Press seams to the un-pieced units as shown. Watch the orientation of the QST units. Half of your blocks will go one way, half will go the other.



12. Sew the rows together and square-up the blocks to $9\frac{1}{2}$ ".